

RECEIVED

CLAC 59769

Westerberg Drilling, Inc.

36728 S. Kropf Rd.

Molalla, OR 97038

DEC 17 2003

STATE OF OREGON

WATER RESOURCES REPORT
as required by ORS 516.005

WELL I.D. # L 23860

START CARD # 161148

Instructions for completing this report are on the last page of this form.

(1) LAND OWNER Well Number #1
Name LEO GENTRY WHOLESALE NURSERY INC.
Address PO BOX 645
City GRESHAM State OR Zip 97030

(2) TYPE OF WORK
 New Well Deepening Alteration (repair/recondition) Abandonment

(3) DRILL METHOD:
 Rotary Air Rotary Mud Cable Auger
 Other

(4) PROPOSED USE:
 Domestic Community Industrial Irrigation
 Thermal Injection Livestock Other

(5) BORE HOLE CONSTRUCTION:
Special Construction approval Yes No Depth of Completed Well 268 ft.
Explosives used Yes No Type Amount

HOLE			SEAL			Sacks or pounds
Diameter	From	To	Material	From	To	
11"	0	103	Bentonite	0	8	19 sacks
7.5"	103	195	Cement	8	103	162 sacks
8.5"	195	215	Cement	195	215	12 sacks
6"	215	980	Cement	268	980	155 sacks

How was seal placed: Method A B C D E
 Other BENTONITE PLACED DRY

Backfill placed from 103 ft. to 195 ft. Material Cement
Gravel placed from 196 ft. to 268 ft. Size of gravel 8-12 cssi

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 6"	+1	216	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner: 4"	196	217	Sch 40	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4"	258	268	Sch 40	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Drive Shoe used Inside Outside None
Final location of shoe(s) 323'-329' cut-off

(7) PERFORATIONS/SCREENS:

Perforations Method Screens Type V-WIRE Material STAINLESS

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
217	227	.040		4"	PS	<input type="checkbox"/>	<input type="checkbox"/>
227	238	.030		4"	PS	<input type="checkbox"/>	<input type="checkbox"/>
238	258	.040		4"	PS	<input type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour
 Pump Bailer Air Flowing Artesian
Yield gal/min 60 Drawdown 25' Drill stem at 4 hr-4 hr. Time

Temperature of water 53° Depth Artesian Flow Found
Was a water analysis done? Yes By whom
Did any strata contain water not suitable for intended use? Too little
 Salty Muddy Odor Colored Other
Depth of strata:

(9) LOCATION OF WELL by legal description:
County CLACKAMAS Latitude Longitude
Township 3S N or S Range 4E E or W. WM.
Section 6 NW 1/4 NE 1/4
Tax Lot 1400 Lot Block Subdivision
Street Address of Well (or nearest address) 29880 SE FOLSOM RD.
EAGLE CREEK, OR 97022

(10) STATIC WATER LEVEL:
157 ft. below land surface. Date 11-20-03
Artesian pressure lb. per square inch Date

(11) WATER BEARING ZONES:
Depth at which water was first found 47'

From	To	Estimated Flow Rate	SWL
47'	66'	75 GPM	12'
136'	151'	20 GPM	69'
216'	256'	45+GPM	157'
341'	373'	35 GPM	143'
650'	710'	40 GPM	148'

(12) WELL LOG:
Ground Elevation

Material	From	To	SWL
cobbles/boulders & gravel dirty	0	42	
gravel cemented slightly	42	47	
gravel & cobbles coarse	47	63	
sand brn silty packed	63	66	
clay grey	66	136	
sand grey grn cemented	136		
some mica		151	
silt grey w/ mica	151	163	
clay grey gritty crumbly	163	178	
silt grey sandy & wood	178	201	
clay grey dense	201	209	
clay grey green hard	209	216	
sand grey coarse grave	216		
fine silty cemented		224	
pumice & sand cemented	224	237	
clay grey	237	241	
pumice & sand cemented	241		
bronw grey-white		256	cont'd

Date started 10-20-03 Completed 11-19-03 on pg 2

(unbonded) Water Well Constructor Certification:
I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.
Signed [Signature] WWC Number 1487 Date 12-16-03

(bonded) Water Well Constructor Certification:
I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
Signed [Signature] WWC Number 688 Date 12-16-03



36728 S. Kropf Rd., Molalla, OR 97038 • Phone: (503) 829-2526 FAX (503) 829-7514

Page 2

WELL ID# L 23860

OWNER: LEO GENTRY WHOLESALE NURSERY INC.

ADDRESS: PO BOX 645

CITY/STATE/ZIP: GRESHAM, OR 97030

WELL ADDRESS: 29880 SE FOLSOM RD. EAGLE CREEK, OR 97022

COUNTY CLACKAMAS TOWNSHIP 3S RANGE 4E


SECTION 6 NW 1/4 NE 1/4 TAX LOT 1400

(11) WATER BEARING ZONES CONT'D FROM PREVIOUS PAGE:

FROM	TO	ESTIMATED FLOW RATE	SWL
939'	962'	60+ GPM	149'

(12) WELL LOG INFO. CONT'D FROM PREVIOUS PAGE:

MATERIAL	FROM	TO	SWL
silt brown sandy	256	264	
clay grey stiff	264	273	
clay lavender striped dense	273	279	
clay brown dense	279	283	
clay grey silty	283	286	
clay lavender striped dense	286	288	
clay grey silty	288	294	
clay multi-colored	294	303	
clay tan & grey	303	314	
gravel grey cemented tight	314	318	
pumice grey	318	329	
gravel grey very tight w/ basaltic rubble	329	341	
lava conglomerate	341	373	
lava multi-colored	373	405	
lava blue grey firm	405	415	
lava grey black med to soft	415	490	
lava black grey vesicular soft	490	525	
rock grey med to hard	525	540	
rock gry brn & red med to soft	540	590	
rock grey brown med	590	680	
rock gry black vesicular med	680	710	
rock grey very hard	710	714	
rock brown soft	714	729	



cont'd on page 3

