

NOV 13 2000

MORR  
50791

WELL I.D. # 41909  
START CARD # 91432

STATE OF OREGON  
WATER SUPPLY WELL REPORT WATER RESOURCES DEPT.  
(As required by ORS 297.105) SALEM, OREGON

(1) OWNER: R D OFFUTT CO Well Number \_\_\_\_\_  
Name R D OFFUTT CO  
Address 75906 Threemile Rd  
City Bend State OR Zip 97708

(2) TYPE OF WORK  
 New Well  Deepening  Alteration (repair/recondition)  Abandonment

(3) DRILL METHOD:  
 Rotary Air  Rotary Mud  Cable  Other

(4) PROPOSED USE:  
 Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Livestock  Other

(5) BORE HOLE CONSTRUCTION:  
Special Construction approval  Yes  No Depth of Completed Well 815 ft.  
Explosives used  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

DIAMETER		FROM		TO		MATERIAL		FEET		SEALS OR PACKS	
20	0	104	125	70	112	200	545				
16	0	104	125	40	40	48	545				
12	0	472	815	472	14	445					

How was seal placed: Method  A  B  C  D  E  
 Other Dry pellet Encapsulation

(6) CASING/LINER:

Casing	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded	Material	
									Cast	Layer
	16	0	104	250						
	12	0	472							

Final location of shoe(s) 104

(7) PERFORATIONS/SCREENS:

From	To	Slot size	Number	Diameter	Material	Cast	Layer	Method	
								Type	Material

(8) WELL TESTS: Minimum testing time is 1 hour

Pump  Bailor  Air  Flowing Artesian  
Yield gallons 750 + Drawdown \_\_\_\_\_ Drill stem at \_\_\_\_\_ Time \_\_\_\_\_

Temperature of water 60 Depth Artesian Flow Found \_\_\_\_\_  
Was a water analysis done?  Yes By whom: \_\_\_\_\_  
Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Oily  Colored  Other SANDY  
Depth of strata: 345 - 423

(9) LOCATION OF WELL by legal description:  
County Marion Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
Township 3 or S Range 23 or W. WM. \_\_\_\_\_  
Section: 26 SW 1/4 NE 1/4 \_\_\_\_\_  
Tax Lot 100 Lot \_\_\_\_\_ Block \_\_\_\_\_ Subdivision \_\_\_\_\_  
Street Address of Well (or nearest address) SAME

(10) STATIC WATER LEVEL:  
161 ft. below land surface. Date 11-3-00  
Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

(11) WATER BEARING ZONES:  
Depth at which water was first found 36

From	To	Estimated Flow Rate	SWL
36	91	20	36
315	423	500	315
548	570	500	127
751	802	500	127

(12) WELL LOG:  
Ground Elevation \_\_\_\_\_

Material	From	To	SWL
silt	0	13 1/2	
cemented gravels	13 1/2	14 1/2	
Tan clay	14	91	36
laminated gravels	91	98	
Black Basalt	98	114	
Grey clay	114	158	
Black Basalt	158	335	
Grey Basalt	335	385	
Blue vitric clay	385	315	
Blue sandstone	315	423	315
Brown clay	423	461	
Black Basalt	461	548	
visicular basalt	548	570	161
Grey Basalt	570	591	
fractured with clay	591	604	
Grey Basalt	604	751	
visicular Basalt	751	802	
Grey Basalt	802	815	

Date started 9-12-00 Completed 11-3-00  
(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed \_\_\_\_\_ WWC Number \_\_\_\_\_ Date \_\_\_\_\_

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed E. Brown WWC Number 759 Date 11-7-00