

RECEIVED

STATE OF OREGON WATER WELL REPORT (as required by ORS 537.765)

FEB 10 1987

Page 1

WASH 5586

IN/2W/28bd

(1) OWNER: Name: PlanTek WATER RESOURCES DEPT. SALEM, OREGON Address: P. O. Box 2007 City: Salem State: OR Zip: 97303

(9) LOCATION OF WELL by legal description: County: Wash. Latitude: Longitude: Township: 1 N Nor S, Range: 2 W E or W, WM. Section: 28 SE 1/4 NW 1/4 Tax Lot: Lot: Block: Subdivision: Street Address of Well (or nearest address): Dawson Creek Corp. Park, Hillsboro, OR

(2) TYPE OF WORK: [X] New Well [] Deepen [] Recondition [] Abandon

(10) STATIC WATER LEVEL: 19'6" ft. below land surface. Date: 1/28/87 Artesian pressure: lb. per square inch. Date:

(3) DRILL METHOD: [X] Rotary Air [X] Rotary Mud [] Cable [] Other

(11) WATER BEARING ZONES: Depth at which water was first found: 1085

(4) PROPOSED USE: [] Domestic [] Community [] Industrial [X] Irrigation [] Thermal [] Injection [] Other

Table with 4 columns: From, To, Estimated Flow Rate, SWL. Row 1: 1085, , 0 gpm, 20' 3". Row 2: , 1517, 1000 gpm, 19' 6".

(5) BORE HOLE CONSTRUCTION: Special Construction approval: Yes [] No [X] Depth of Completed Well: 1517 ft. Explosives used: [] [X] Type: Amount:

Table with 7 columns: HOLE (Diameter, From, To), SEAL (Material, From, To), Amount (sacks or pounds). Rows include Cement/gel, Drill gel, and Cement.

(12) WELL LOG: Ground elevation:

How was seal placed: Method [X] A [] B [X] C [] D [] E [] Other Backfill placed from: ft. to: ft. Material: Gravel placed from: ft. to: ft. Size of gravel:

Table with 4 columns: Material, From, To, SWL. Lists various soil types like Firm brown clay, Soft brown silty clay, etc., with depth ranges.

(6) CASING/LINER: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Casing: 12-3/4, +1, 1072, .312 [X] [] [X] [] Liner: [] [] [] []

Location of shoe(s):

(7) PERFORATIONS/SCREENS: [] Perforations Method: [] Screens Type: Material:

Table with 8 columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner.

(8) WELL TESTS: Minimum testing time is 1 hour [X] Pump [] Bailer [] Air [] Flowing Artesian Yield gal/min, Drawdown pumping level, Drill stem at, Time.

Date started: 10/1/86 Completed: 2/4/87

Temperature of water: 72° F. Depth Artesian Flow Found: Was a water analysis done? [] Yes By whom: Did any strata contain water not suitable for intended use? [] Too little [] Salty [] Muddy [] Odor [] Colored [] Other: Depth of strata:

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.

WWC Number: Signed: Date:

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.

WWC Number: 1266 Signed: Date:

RECEIVED

1N/2W-286d

STATE OF OREGON WATER WELL REPORT (as required by ORS 537.765)

FEB 10 1987

(1) OWNER: WATER RESOURCES DEPT. SALEM, OREGON

(2) TYPE OF WORK: [] New Well [] Deepen [] Recondition [] Abandon

(3) DRILL METHOD: [] Rotary Air [] Rotary Mud [] Cable [] Other

(4) PROPOSED USE: [] Domestic [] Community [] Industrial [] Irrigation [] Thermal [] Injection [] Other

BORE HOLE CONSTRUCTION: Special Construction approval Yes No Depth of Completed Well ft. Explosives used [] [] Type Amount

Table with columns: HOLE Diameter, From, To, SEAL Material, From, To, Amount sacks or pounds

How was seal placed: Method [] A [] B [] C [] D [] E [] Other Backfill placed from ft. to ft. Material Gravel placed from ft. to ft. Size of gravel

(6) CASING/LINER: Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded

Location of shoe(s)

(7) PERFORATIONS/SCREENS:

[] Perforations Method [] Screens Type Material

Table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner

(8) WELL TESTS: Minimum testing time is 1 hour

[] Pump [] Bailer [] Air [] Flowing Artesian Yield gal/min Drawdown Drill stem at Time

Temperature of water Depth Artesian Flow Found Was a water analysis done? [] Yes By whom Did any strata contain water not suitable for intended use? [] Too little [] Salty [] Muddy [] Odor [] Colored [] Other Depth of strata:

(9) LOCATION OF WELL by legal description: County Latitude Longitude Township N or S, Range E or W, WM. Section 1/4 1/4 Tax Lot Lot Block Subdivision Street Address of Well (or nearest address)

(10) STATIC WATER LEVEL: ft. below land surface. Date Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES: Table with columns: From, To, Estimated Flow Rate, SWL

(12) WELL LOG: Ground elevation

Table with columns: Material, From, To, SWL. Includes entries like Sticky gray clay, Sticky brown clay, etc.

Date started Completed

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.

Signed WWC Number Date

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. all work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.

Signed WWC Number Date

RECEIVED

W/2W-28bd

STATE OF OREGON WATER WELL REPORT (as required by ORS 537.765)

FEB 10 1987 Page 3

(1) OWNER: Name, Address, City, State, Zip. WATER RESOURCES DEPT. SALEM, OREGON

(2) TYPE OF WORK: New Well, Deepen, Recondition, Abandon

(3) DRILL METHOD: Rotary Air, Rotary Mud, Cable, Other

(4) PROPOSED USE: Domestic, Community, Industrial, Irrigation, Thermal, Injection, Other

BORE HOLE CONSTRUCTION: Special Construction approval, Explosives used

Table with columns: HOLE Diameter, From, To, SEAL Material, From, To, Amount sacks or pounds

How was seal placed: Method A, B, C, D, E. Backfill placed from, Gravel placed from

(6) CASING/LINER: Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded

Location of shoe(s)

(7) PERFORATIONS/SCREENS: Perforations, Screens, Method, Type, Material

Table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner

(8) WELL TESTS: Minimum testing time is 1 hour. Pump, Bailer, Air, Flowing Artesian. Yield gal/min, Drawdown, Drill stem at, Time

Temperature of water, Depth Artesian Flow Found, Was a water analysis done?, Did any strata contain water not suitable for intended use?, Depth of strata

(9) LOCATION OF WELL by legal description: County, Latitude, Longitude, Township, Section, Tax Lot, Block, Subdivision, Street Address of Well

(10) STATIC WATER LEVEL: ft. below land surface, Artesian pressure lb. per square inch, Date

(11) WATER BEARING ZONES: Table with columns: From, To, Estimated Flow Rate, SWL

(12) WELL LOG: Table with columns: Material, From, To, SWL. Includes entries like Soft decomposed brown basalt, Firm gray basalt, etc.

Date started, Completed

(unbonded) Water Well Constructor Certification: I certify that the work I performed... WWC Number, Signed, Date

(bonded) Water Well Constructor Certification: I accept responsibility for the construction... WWC Number, Signed, Date

RECEIVED

1n/2w-28bd

STATE OF OREGON WATER WELL REPORT (as required by ORS 537.765)

FEB 10 1987 Page 4

(1) OWNER: Name, Address, City, State, Zip. Well Number: #1. WATER RESOURCES DEPT. SALEM, OREGON

(2) TYPE OF WORK: New Well, Deepen, Recondition, Abandon

(3) DRILL METHOD: Rotary Air, Rotary Mud, Cable, Other

(4) PROPOSED USE: Domestic, Community, Industrial, Irrigation, Thermal, Injection, Other

BORE HOLE CONSTRUCTION: Special Construction approval, Explosives used, Depth of Completed Well, Type, Amount

Table with columns: HOLE Diameter, SEAL Material, Amount sacks or pounds

How was seal placed: Method A, B, C, D, E. Backfill placed from, Gravel placed from

(6) CASING/LINER: Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded

Location of shoe(s)

(7) PERFORATIONS/SCREENS: Perforations, Screens, Method, Type, Material

Table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner

(8) WELL TESTS: Minimum testing time is 1 hour. Pump, Bailer, Air, Flowing Artesian. Yield gal/min, Drawdown, Drill stem at, Time

Temperature of water, Depth Artesian Flow Found, Was a water analysis done?, Did any strata contain water not suitable for intended use?, Depth of strata

(9) LOCATION OF WELL by legal description: County, Latitude, Longitude, Township, N or S, Range, E or W, WM, Section, Tax Lot, Lot, Block, Subdivision, Street Address of Well

(10) STATIC WATER LEVEL: ft. below land surface, Date, Artesian pressure lb. per square inch, Date

(11) WATER BEARING ZONES: Table with columns: From, To, Estimated Flow Rate, SWL

(12) WELL LOG: Table with columns: Material, From, To, SWL. Includes entries like Red-brown basalt, Black & gray-black basalt, broken, Gray-black basalt, hard, fractured, etc.

Date started, Completed

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. WWC Number, Signed, Date

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. WWC Number, Signed, Date